

**From:** Narvaez, Madonna  
**To:** ["GRUNOW Greg"](mailto:GRUNOW.Greg@deq.state.or.us)  
**Subject:** RE: Another question about Bullseye Glass  
**Date:** Tuesday, February 09, 2016 10:52:00 AM

---

No  
Problem, Greg. I appreciate your help!

---

**From:** GRUNOW Greg [mailto:GRUNOW.Greg@deq.state.or.us]  
**Sent:** Tuesday, February 09, 2016 10:43 AM  
**To:** Narvaez, Madonna <Narvaez.Madonna@epa.gov>  
**Subject:** RE: Another question about Bullseye Glass

Hi Madonna,

Sorry, I'm not ignoring you! Our files person was out and I need to have her retrieve earlier permit info from archives as what we have in the office is not the complete file history. I expect to be going out to Bullseye a little later today to pick up info I requested and I will discuss the refractory linings with them while I'm there.

Greg Grunow  
Natural Resource Specialist  
ODEQ Northwest Region  
503-229-5690  
[grunow.greg@deq.state.or.us](mailto:grunow.greg@deq.state.or.us)

---

**From:** Narvaez, Madonna [mailto:Narvaez.Madonna@epa.gov]  
**Sent:** Monday, February 08, 2016 10:10 AM  
**To:** GRUNOW Greg  
**Subject:** Another question about Bullseye Glass  
**Importance:** High

Do you have any information about the refractory linings? Do they have chromium? Thanks!

=====  
Madonna Narvaez  
Regional Air Toxics Coordinator  
USEPA, Region 10  
1200 Sixth Avenue, Ste 900  
MC: AWT-150  
phone: 206-553-2117  
fax: 206-553-0110  
[narvaez.madonna@epa.gov](mailto:narvaez.madonna@epa.gov)

**Follow @EPAnorthwest on Twitter!** <https://twitter.com/EPAnorthwest>

